

wilson

Music for Everyone



2023/2024

Music for Everyone



The **Wilson** brand was created in 2016 by **Horn Distribution S.A.** in Poland as a result of years of international distribution of top-quality audio equipment and the market's long experience of demand for speakers adapted to work with home theater components and popular stereo music sets, which offer a very good price.

From the very beginning, we work closely with Danish industry experts and experienced engineering team. It reflects our commitment to making the best products, and also our dedication to loudspeaker excellence, the established tradition of Scandinavian tuning schools, and our cooperation with the **Danish Development Office**.

We strongly believe that all music lovers deserve a very good quality speaker for their audio system without wasting their fortune to satisfy their musical cravings.

This means that you can find a variety of products in the Wilson portfolio for both home theater and stereo hi-fi systems. As the world does not sleep, we work hard to expand in other audio fields such as mobile and active products.

Wilson's motto is „**Music for Everyone**” which can be seen in many of our activities, publications, and advertisements.

The satisfaction of customers who have purchased Wilson products is our top priority. We want you to enjoy the performance of the equipment we offer for many years to come. In thanking you for your confidence in our authorized sales network, you receive our warranty commitment as follows:

10 Years warranty

Passive loudspeakers*

2 Years warranty

Subwoofers, wireless speakers, and accessories



(*) Promotional warranty – check terms and conditions at wilson-hifi.eu



Exclusive Line

Elegant & Modern

DEVELOPED &
ENGINEERED
IN DENMARK



HIGH
GLOSS



BACK
MAGNETS



MAGNETIC
GRILLES



DOUBLE
GRILLES

Wilson Exclusive Line loudspeakers are extremely elegant and modern. With their sleek cabinets, luxurious black piano lacquer, and meticulous craftsmanship, these loudspeakers will grace both the elegant living room and the audiophile listening room.

Despite its considerable size, the **EL-10** offers the ability to be placed close to the wall thanks to its unique Bass-Reflex port facing downward.

Varying in size and power, the **EL-10** and **EL-8** give you the ability to adjust to the size requirements of your listening room. They will work well as front speakers in a home theater as well as stand-alone stereo speakers.

The **EL-4** are beautiful speakers for an elegant mini stereo system on a shelf, speakers on stands as front speakers for smaller rooms, or rear satellite speakers in a home theater system.

The **Vocal EL** is an acoustically matched center speaker that perfectly complements the Exclusive Line with an essential component of any multi-channel home theater.





Wilson's flagship line of loudspeakers has many features unavailable from competitors at this price point.

A superior paint job with six layers of high-quality coating will provide a great look that you can boast about for years to come.

Floorstanding and bookshelf speakers have magnetically attached grilles. It improves the look of the speakers significantly.



For our flagship **EL-10** speakers, we offer an alternative set of grilles in a different color and texture in the package, so that you can change their appearance in the room after purchase. For the **EL-8** and **EL-4** speakers, they are an affordable accessory option.

Reinforced, sturdy enclosure structures made of thick MDF boards reduce construction vibrations, and gold-plated speaker terminals take care of secure connection to speaker cables.



	EL-10	EL-8	EL-4	Vocal EL
Type	Floorstanding speaker	Floorstanding speaker	Bookshelf speaker	Center speaker
WxHxD (mm)	195 x 1080 x 295	195 x 985 x 295	173 x 288 x 245	430 x 140 x 165
Finishes	<div> <div></div> White HGL <div></div> Black HGL </div>			



Classic

Feel the timeless vintage vibe

DEVELOPED &
ENGINEERED
IN DENMARK

MAGNETIC
GRILLES



WOOD
TEXTURE






DUAL
BASS-REFLEX

The **Wilson Classic** is a perfect fit with contemporary trends, drawing from the best acoustic designs of the 1960s and 1970s. This is not just fashion and nostalgia, but a return to the principals of proven design based on the volume of a solid, wide-wall enclosure, efficient, large drivers and traditional crossover design.

The **Wilson Classic** is a classic 3-way design in a large cabinet for a bookshelf speaker. In this design, the larger cabinet volume helps to achieve a fuller sound.

At the same time these are designs for all those who like to admire their speakers, which having an amazing vintage charm will be visible in the listening room also thanks to dedicated, large stands.



	Classic	Classic stand
Type	Bookshelf speaker	Dedicated stand
WxHxD (mm)	295 x 570 x 356	280 x 422 x 325
Finishes	  Black Oak/Tobacco	 Black



Studio

Speakers with a studio background

DEVELOPED &
ENGINEERED
IN DENMARK



STUDIO BASED
DRIVER DESIGN





MAGNETIC
GRILLES



INDIVIDUAL
GRILLES

The **Studio 7** and **Studio 3** are modern loudspeakers designed for home hi-fi stereo systems. The technological solutions used have been taken from the design of professional studio monitors, which can be seen in their appearance.

This approach, new to the Wilson brand, ensures both natural and accurate sound reproduction, and the new design inspires confidence with its professional connotations. They will meet the demands of stereo music lovers open to innovation, looking for more experience for the ears and eyes.

	Studio 3	Studio 7
Type	Bookshelf speaker	Floorstanding speaker
WxHxD (mm)	174 x 336 x 247	174 x 982 x 270 mm
Finishes	 Walnut	 Black Oak





Digits Six/Seven

For dynamic music genres

DEVELOPED &
ENGINEERED
IN DENMARK

MAGNETIC
GRILLES



FRONT
BASS-REFLEX

The **Digits** line is a powerful and versatile speaker created for the digital age, with a younger generation of users in mind. It provides them with an extra design twist and diversity of application.

The **Digits Seven** are 3-way passive loudspeakers with a trapezoidal body that will work well in conventional stereos, amplifiers connected to network file streamers, or as front speakers in 2.0, 2.1 or other multi-channel home theater systems.

The smaller **Digits Six** are complete and versatile loudspeakers for those playing music from conventional stereos, amplifiers connected to modern network file streamers, as well as a response to the growing interest in supporting 2.0 sound from TV via stereo AV receivers.



	Digits Six	Digits Seven
Type	Floorstanding speaker	Floorstanding speaker
WxHxD (mm)	195 x 1000 x 306	215 x 1131 x 315
Finishes	 Light Oak	 Black Oak



Digits Six Power

Powerful solution that will surprise you



BUILT IN
AMPLIFIER



VOLUME
CONTROL



SUPER
BASS






BACKLIT
LOGOTYPE

Digits Six Power will satisfy enthusiasts of powerful, deep bass without the need for an external subwoofer - they'll find one in this enclosure, along with the ability to control it to suit their needs. Both in stereo and home theater systems. The unique design with five large drivers spread across the front looks predatory. It transforms its appearance into a docile lamb when the grille is attached, leaving visible the attractively illuminated aluminum Wilson logo piece - to emphasize its strong nature.

Digits ONE xD

The **Digits ONE xD** is a small wireless portable speaker for those who want to take their music on the road. It can be a great companion for all outings, picnics, or music support on your desk at work. Having two will make it possible to listen to music in stereo.

	Digits Six Power	Digits ONE xD
Type	Floorstanding active speaker	Portable speaker
WxHxD (mm)	195 x 1000 x 310	97 x 81 x 36
Finishes	  Light Oak/Black Oak	 Black







Raptor

Surround sound enhanced by Atmos technology



	Raptor 9 Max	Raptor 9	Raptor 7	Raptor 5	Raptor 3
Type	Floorstanding speaker	Floorstanding speaker	Floorstanding speaker	Floorstanding speaker	Bookshelf speaker
WxHxD (mm)	235 x 1160 x 323 mm	195 x 1160 x 302 mm	195 x 1010 x 302 mm	170 x 839 x 263 mm	195 x 320 x 262 mm
Finishes	 Black HGL / Black Ash		 White HGL / White Ash		



Raptor is our most extensive and versatile line of speakers for home theater and stereo applications. This lineup will allow you to precisely match the size and power to your needs. Classic black or white finish will fit most of interiors.

A wide selection of floorstanding speakers from top **Raptor 9 Max** to **Raptor 5** will provide sufficient power and high quality sound in both, small living rooms and large listening rooms.

The versatility of the smaller Raptor speakers gives you a lot of flexibility in using them in extended home theater systems, either as on-wall speakers or bookshelf speakers placed on stands. Thanks to the versatility of the **Raptor X** speaker, it is also possible to create a configuration in which it is placed on a top of the floorstanding speaker for a Dolby Atmos top layer bounced from the ceiling. Raptor bookshelf speakers are also ideal on their own in mini and micro stereo systems.

DEVELOPED &
ENGINEERED
IN DENMARK

FRONT
BASS-REFLEX

WOOD
TEXTURE

DUAL
BASS-REFLEX



	Raptor 1	Raptor Mini	Raptor Vocal	Raptor X
Type	Bookshelf speaker	Bookshelf speaker	Center speaker	Atmos on-wall or on top of a floorstander
WxHxD (mm)	168 x 298 x 235 mm	148 x 238 x 165 mm	430 x 140 x 165 mm	195 x 278 x 150 mm
Finishes		Black HGL / Black Ash	White HGL / White Ash	



5.0 Speaker Sets

Powerfull and expressive home theater systems

Cinematic



Movix



	Cinematic			Movix		
Type	Floorstanding	Rear	Center	Floorstanding	Rear	Center
WxHxD (mm)	195 x 1000 x 306	135 x 240 x 206	400 x 135 x 206	195 x 1000 x 306	135 x 240 x 206	400 x 135 x 206
Finishes	<div></div> Black			<div></div> Wenge		



5.0 Speaker Sets are dedicated to simplicity seekers preferring hassle free, ready to use bundles in multichannel systems.

The **Movix 5.0** is ideal for a small living room, thanks to its front firing Bass Reflex port - you can place the front speakers closer to the wall. The **Cinematic 5.0** features the classic look of a black cabinet fully covered with vinyl cladding with a beautiful wood grain.

The **Viper 5.0** set is available in black with contrasting silver front that imitates color and finish of the aluminum surface.

Estrada 5.0 is a set designed for users who like nice-looking objects and expect a little more than just functionality from the product. Elegant high quality wood textured vinyl will look good in modern interiors.

Viper



Estrada



	Viper			Estrada		
Type	Floorstanding	Rear	Center	Floorstanding	Rear	Center
WxHxD (mm)	195 x 1000 x 306	135 x 240 x 206	398 x 135 x 206	220 x 980 x 246	145 x 227 x 181	398 x 145 x 181
Finishes	<div></div> Black			<div></div> Black Ash		



Subwoofers

Experience the true face of bass




Subwoofers are an essential part of any true home theater setup. Wilson **SUB** series is an attractive solution that can be customized to fit the size of your room. They can be connected to wide range of AV receivers and will also meet the needs of surround or stereo sound systems.

SUB-12, the largest in the Wilson subwoofer family delivers

a powerful bass even in large spaces. It's shiny, high-gloss version named **SUB-12 HGL** will suit best the users of Wilson Exclusive Line speakers.

Smaller **SUB-10** and smallest in the range **SUB-9** active subwoofers sporting a Bass Reflex system, are ideal as audio boosters in home theater setups of Wilson, but also of other brands.



	SUB-10	SUB-12	SUB-12 HGL	SUB-9
Output power	150 Watts (RMS)	250 Watts (RMS)	250 Watts (RMS)	150 Watts (RMS)
WxHxD (mm)	320 x 320 x 330	360 x 360 x 381	360 x 360 x 381	275 x 305 x 310
Finishes	 Black HGL / Black Ash		 White HGL / White Ash	
			 Black	



Cables

Necessary connection accessories



HDMI Cables

The **Wilson HDMI** cables are a high quality connection products for transmitting the highest quality 8K video (HDMI 2.1 standard compatible) from devices such as a game console, computer or media player.

High quality 24 karat gold plated contacts and short housing ensure a stable mechanical connection regardless of the angle at which they are connected to the devices.



Speaker Cables

Under Wilson brand, we offer only the best quality speaker cables, made of oxygen free copper from recognized suppliers. Both the insulation materials used and the construction of each cable meet the highest industry and quality standards. We have taken care to ensure optimal performance capabilities as well as best-selling lengths and packaging shapes.

Exclusive Line	EL-10	EL-8	EL-4	Vocal EL
Description	Floorstanding speaker	Floorstanding speaker	Bookshelf speaker	Center speaker
Frequency response [+/- 3] dB [Hz]	35 Hz - 20 000 Hz	40 Hz - 20 000 Hz	50 Hz - 20 000 Hz	50 Hz - 20 000 Hz
Sensitivity [2.83V/1m] [dB]	90 dB	90 dB	88 dB	88dB
Impedance	4 Ohm	4-8 Ohms	4-8 Ohms	4-8 Ohms
Maximum SPL [dB]	110 dB	108 dB	105 dB	108 dB
Recommended amp	50-200 Watts	40-150 Watts	25 -100 Watts	25-125 Watts
Crossover Frequencies [Hz]	2 400 Hz	2 400 Hz	2 400 Hz	2 600 Hz
High Frequency Driver	1" (25mm) fabric dome	1" (25mm) soft dome	1" (25mm) soft dome	1" (25mm) soft dome
Midrange Drivers	1x 6 ½"(165mm) cellulose membrane, phase equalizer	-	-	-
Low frequency driver	2x 6 ½" (165mm), cellulose membrane	-	-	-
Woofer / Midrange Drivers		2x 6" (165mm) with foam phase correction	5" (130mm) with foam phase correction	2x 4"
System, Enclosure Type	Bass Reflex	Bass Reflex	Bass Reflex	Dual Bass Reflex
Connection Input(s)	Double, binding posts, gold-plated, banana-plug compatible	Compatible with banana plugs	Compatible with banana plugs	Single terminals
Accessories	Gold-plated terminal jumpers, speaker spikes (feet), two pairs of grilles in different colours	Rubber feet, spikes, black grilles included (grey color grilles optional sold separately)	Rubber feet	Rubber feet
Available finishes	White High Gloss, Black High Gloss	White High Gloss, Black High Gloss	White High Gloss, Black High Gloss	White High Gloss, Black High Gloss
Dimensions	195 x 1080 x 295 mm	195 x 985 x 295 mm	173 x 288 x 245 mm	430 x 140 x 165 mm
Net weight	17.30 kg	13.90 kg	3.60 kg	4.50 kg

Classic/Studio	Classic	Classic Stand	Studio 3	Studio 7
Description	Compact 3-way speaker	Dedicated floor stand	Bookshelf speaker	Floorstanding speaker
Frequency response[+/- 3] dB [Hz]	40 Hz - 20 000 Hz	-	50-20.000 Hz	40-20.000 Hz
Sensitivity [2.83V/1m] [dB]	88 dB	-	89 dB	91 dB
Impedance	4-8 Ohms	-	4-8 Ohm	4-8 Ohm
Maximum SPL [dB]	108 dB	-	108 dB	110 dB
Recommended amp	50-220 Watts	-	30-100 Watts	40-150 Watts
Crossover Frequencies [Hz]	600Hz / 2800 Hz	-	2400 Hz	2800 Hz
High Frequency Driver	1" (28mm) soft dome	-	1" (28mm) soft dome	1" (28mm) soft dome
Midrange Drivers	5 1/2 " with Kevlar® cone	-	-	-
Low frequency driver	8 " with Kevlar® cone	-	-	-
Woofer / Midrange Drivers	-	-	1 x 5 1/2 "	2 x 5 1/2 "
Material	-	Solid MDF, aluminium	-	-
System, Enclosure Type	Dual Bass Reflex	-	Bass Reflex	Bass Reflex
Connection Input(s)	Gold plated, Bi-Wiring	-	Single	Single
Accessories	Rubber feet	4 pcs metal spikes, 4 pcs metal plates, 4 pcs silicone feet	Rubber feet	Spikes
Available finishes	Tobacco, Black Oak	Black with brass color elements covered aluminium	Walnut, Black	Walnut, Black
Dimensions	295 x 570 x 356 mm	280 x 422 x 325 mm	174 x 247 x 336 mm	195 x 270 x 982 mm
Net weight	16.50 kg	7.00 kg	3.60 kg	13.90 kg

Raptor 1/2	Raptor 9 Max	Raptor 9	Raptor 7	Raptor 5
Description	Floorstanding speaker	Floorstanding speaker	Floorstanding speaker	Floorstanding speaker
Frequency response[+/- 3] dB [Hz]	35-20.000 Hz	40-20.000 Hz	40-20.000 Hz	50-20.000 Hz
Sensitivity [2.83V/1m] [dB]	92 dB	91 dB	90 dB	88 dB
Impedance	4-8 Ohm	4-8 Ohm	4-8 Ohm	4-8 Ohm
Maximum SPL [dB]	112 dB	110 dB	110 dB	108 dB
Recommended amp	50-250 Watts	50-220 Watts	50-180 Watts	40-150 Watts
Crossover Frequencies [Hz]	500 Hz /3500 Hz	700 Hz /2500 Hz	2500 Hz	2400 Hz
High Frequency Driver	1" (25mm) soft dome	1" (25mm) soft dome	1" (25mm) soft dome	1" (25mm) soft dome
Midrange driver	1 x 6 ½ ", cellulose membrane	1 x 5", cellulose membrane	-	-
Woofer/Midrange Driver	-	-	1 x 6 1/2"	2 x 5"
Low frequency driver	2 x 8 ", cellulose membrane	2 x 6 ½ ", cellulose membrane	-	-
System, Enclosure Type	Bass Reflex	Bass Reflex	Bass Reflex	Bass Reflex
Connection Input(s)	Bi-Wiring	Double, binding posts, gold-plated, banana-plug compatible	Single	Single
Accessories included	Spikes	Spikes	Spikes	Spikes
Available finishes	Black, White	Black, White	Black, White	Black, White
Dimensions	235 x 1160 x 323 mm	195 x 1160 x 302 mm	195 x 1010 x 300 mm	170 x 839 x 263 mm
Net weight	24.20 kg	16.70 kg	15.00 kg	9.90 kg

Raptor	2/2	Raptor Vocal	Raptor 3	Raptor 1	Raptor Mini	Raptor X
Description	Center speaker		Bookshelf speaker	Bookshelf speaker	Bookshelf speaker	Universal, Atmos (height) or on top of floorstander
Frequency response[+/- 3] dB [Hz]	50-20.000 Hz		50-20.000 Hz	55-20.000 Hz	60-20.000 Hz	80-20.000 Hz
Sensitivity [2.83V/1m] [dB]	88 dB		88 dB	86 dB	83 dB	83 dB
Impedance	4-8 Ohm		4-8 Ohm	4-8 Ohm	4-8 Ohm	4-8 Ohm
Maximum SPL [dB]	108 dB		108 dB	106 dB	103 dB	-
Recommended amp	25-125 Watts		25-125 Watts	25-125 Watts	25-125 Watts	-
Crossover Frequencies [Hz]	2600 Hz		2600 Hz	2800 Hz	2500 Hz	-
High Frequency Driver	1" (25mm) soft dome		1" (25mm) soft dome	1" (25mm) soft dome	¾" soft dome	1" (25mm) soft dome
Woofer / Midrange Drivers	2 x 4"		1 x 6 1/2"	1 x 5"	1 x 4"	1 x 4" (10,1 cm)
System, Enclosure Type	Bass Reflex		Bass Reflex	Bass Reflex	Bass Reflex	Closed
Connection Input(s)	Single		Single	Single	Single	Single
Accessories	Rubber feet		Rubber feet	Rubber feet	Rubber feet	Rubber feet, wall mount
Available finishes	Black, White		Black, White	Black, White	Black, White	Black, White
Dimensions	430 x 140 x 165 mm		195 x 320 x 262 mm	168 x 298 x 235 mm	148 x 238 x 165 mm	195 x 278 x 150 mm
Net weight	4.50 kg		6.50 kg	4.00 kg	3.00 kg	2.60 kg

Digits	Six	Seven	Six Power		One xD
Description	Floorstanding speaker	Floorstanding speaker	Active floorstanding speaker	Description	Wireless Bluetooth speaker
Frequency response[+/- 3] dB [Hz]	45 Hz -20.000 Hz	40-20.000 Hz	40-20.000 Hz	Type	Mono
Sensitivity [2.83V/1m] [dB]	90 dB	91 dB	90 dB	Driver	1x 1 1/2" high power full range
Impedance	4-8 Ohm	4-8 Ohm	4-8 Ohm	Passive radiators	2
Maximum SPL [dB]	-	110 dB	110 dB	Frequency response	60 Hz - 20 000 Hz
Output power [THD @1%]	-	-	60 Watts (RMS)	Special functions	Dynamic Bass
Recommended amp	Up to 130 Watts	50-220 Watts	50-220 Watts	Power output	5 Watts (RMS)
Crossover frequency [Hz]	-	700 Hz / 2800 Hz	700 Hz / 2500 Hz	THD distortions	<1%
High Frequency Driver	1" (25 mm)	1" (28mm) soft dome	1" (25 mm) soft dome	S/N ratio	>70db
Midrange Driver	-	5 1/2"		Charging current	1 A
Woofer / Midrange Driver	2x 6 1/2"	-	1x 6 1/2"	Rechargeable battery	2000mAh, up to 12 hours playback
Low Frequency Driver	-	2x 6 1/2"	1x 6 1/2"	Bluetooth connection	V4.2 A2DP1.3 AVRCP1.5, Volume Sync
System, Enclosure Type	Bass Reflex	Bass Reflex	Vented Bass Reflex	Input	AUX 3.5mm; 500mv input sensitivity
Active Woofer Drivers	-	-	2x 6 1/2" long throw	Controls	4 buttons volume +, volume -, Bluetooth, power
Connection Input(s)	Single	Gold plated, Bi-Wiring	Gold plated, Bi-Wiring	LED control	"Red charging or low charging Blue status indication"
Volume	-	-	Adjustable control	Housing	ABS+TPE Double Injection, Fabric Grille
Mains voltage	-	-	100-240 V, 50/60 Hz AC	Waterproof	IPX5 specification
Accessories included	Rubber feet	Rubber feet	Rubber feet	Included accessories	Wrist strap, USB cable, user manual
Available finishes	Light Oak, Black	Light Oak, Black Oak	Light Oak, Black Oak	Available colors	Black
Dimensions	195 x 1000 x 306 mm	215 x 1131 x 315 mm	195 x 1000 x 310 mm	Dimensions	97 x 81 x 36 mm
Net weight	12.20 kg	13.90 kg	16.00 kg	Net weight	0.35 kg

Subwoofers	SUB 12 HGL	SUB 12	SUB 10	SUB 9
Description	Active subwoofer		Active subwoofer	Active subwoofer
Type	Bass Reflex system		Bass Reflex system	Bass Reflex system
Driver	12" (300 mm) long-throw woofer		10" (250 mm) long-throw woofer	8" (210 mm) long-throw woofer
Inputs	Cinch stereo input		Cinch stereo input	Cinch stereo input
Voltage	230V, 50 Hz AC		230V, 50 Hz AC	220-240V, 50/60 Hz AC
Phase Switch	0-180 degrees		0-180 degrees	0-180 degrees
Volume	Adjustable		Adjustable	Adjustable
Frequency range (-3dB)	40 - 200 Hz		25 - 150 Hz	25 - 150 Hz
Cut-off frequency	Adjustable		Adjustable	Adjustable
Output power	250 Watts (RMS)		150 Watts (RMS)	150 Watts (RMS)
Automatic standby function	Yes (on/off)		-	
Operation mode	Auto/ON		-	
Available finishes	Black High Gloss, White High Gloss		Black, White	Black
Dimensions	360 x 360 x 381 mm		320 x 320 x 330 mm	305 x 275 x 310 mm
Net weight	15.50 kg		11.60 kg	9.20 kg

5.0 Speaker Sets 1/2		Cinematic			Estrada		
Type	Floorstanding speaker	Rear speakers	Center speaker	Floorstanding speaker	Rear speakers	Center speaker	
Recommended amplifier:	AV amp up to 130W	AV amp up to 100W	AV amp up to 100W	AV amp up to 150W	AV amp up to 100W	AV amp up to 100W	
Frequency response:	45-20.000 Hz	60-20.000 Hz	55-20.000 Hz	45-20.000 Hz	60-20.000 Hz	55-20.000 Hz	
Sensitivity (1m/1W):	90 dB	89 dB	88 dB	90 dB	89 dB	88 dB	
Impedance:	4-8 Ohm	4-8 Ohm	4-8 Ohm	4-8 Ohm	4-8 Ohm	4-8 Ohm	
Tweeter:	1" (25mm)	1" (25mm)	1" (25mm)	1" (25mm)	1" (25mm)	1" (25mm)	
Midwoofer:	2x 6,5"	4"	2x 4"	2x 6,5"	4"	2x 4"	
Dimensions (HxWxD):	1000 x 195 x 306 mm	240 x 135 x 206 mm	135 x 400 x 206 mm	980 x 220 x 246 mm	227 x 145 x 181 mm	145 x 398 x 145 mm	
Available finishes:	Black	Black	Black	Black	Black	Black	
Weight:	10.8 kg	3.0 kg	1.8 kg	12.35 kg	2.05 kg	3.2 kg	

5.0 Speaker Sets 2/2		Movix			Viper		
Type	Floorstanding speaker	Rear speakers	Center speaker	Floorstanding speaker	Rear speakers	Center speaker	
Recommended amplifier:	AV amp up to 130W	AV amp up to 100W	AV amp up to 100W	AV amp up to 150W	AV amp up to 100W	AV amp up to 100W	
Frequency response:	45-20.000 Hz	60-20.000 Hz	55-20.000 Hz	45-20.000 Hz	60-20.000 Hz	55-20.000 Hz	
Sensitivity (1m/1W):	90 dB	89 dB	88 dB	90 dB	89 dB	88 dB	
Impedance:	4-8 Ohm	4-8 Ohm	4-8 Ohm	4-8 Ohm	4-8 Ohm	4-8 Ohm	
Tweeter:	1" (25mm)	1" (25mm)	1" (25mm)	1" (25mm)	1" (25mm)	1" (25mm)	
Midwoofer:	2x 6,5"	4"	2x 4"	2x 6,5"	4"	2x 4"	
Dimensions (HxWxD):	1000 x 195 x 306 mm	240 x 135 x 206 mm	135 x 400 x 206 mm	1000 x 195 x 306 mm	206 x 135 x 240 mm	206 x 398 x 135 mm	
Available finishes:	Wenge	Wenge	Wenge	Black	Black	Black	
Weight:	12.2 kg	3.4 kg	2.1 kg	10.80 kg	2.05 kg	3.0 kg	

HDMI Cables		HDMI Cable 2.0m	Premium HDMI Cable 1.5m	Premium HDMI Cable 3.0m
Type:	HDMI CABLE 2.0m		PREMIUM HDMI CABLE 1.5m	
Transmission speed:	Ultra High Speed up to 48Gbps		Ultra High Speed up to 48Gbps	
Supported video resolution:	8K @60Hz, 4K @120Hz, and resolutions up to 10K		8K @60Hz, 4K @120Hz, and resolutions up to 10K	
Support for Dynamic HDR formats:	Yes		Yes	
eARC (Enhanced Audio Return Channel):	Yes		Yes	
Connectors:	Gold plated and solid plugs		Gold plated and solid plugs	
Deep Color Support:	Yes		Yes	
Support for 3D signal:	Yes		Yes	
Compatibility:	HDMI 1.3 / 1.4 / 2.0 / 2.0a / 2.0b / 2.1		HDMI 1.3 / 1.4 / 2.0 / 2.0a / 2.0b / 2.1	
Length:	2.0 m		1.5 m	

Speaker Cables		Spk Cable 1.5mm (15m)	Spk Cable 2.5mm (100m)	Spk Cable 4.0mm (100m)	Spk Cable 4.0mm (2x3m)
Description:	SPEAKER CABLE 2x1,5mm (15m)		SPEAKER CABLE 2x2,5mm (100m)		SPEAKER CABLE 2x4mm (3m) - BANANA PLUGS
Conductors material:	high purity OFC cooper		high purity OFC cooper		high purity OFC cooper
Cross sectional area:	1,5 mm²		2,5 mm²		4,0 mm²
Insulation:	transparent jacket		transparent jacket		transparent jacket
Cable markings:	visible mark ea. 1 m		visible mark ea. 1 m		visible mark ea. 1 m
+/- recognition:	Yes		Yes		Yes
Connectors type:	none		none		preterminated banana plugs
Length:	spool 15 m		spool 100 m		2 sets of 2x3m cables

The distinctive trademark with a „W“ shaped signet and an „i“ resembling the image of a loudspeaker column is a registered trademark in the European database of EUIPO (European Union Intellectual Property Office) www.euipo.europa.eu No. 015442271, and WIPO (World Intellectual Property Organization) www.wipo.int No. 1 656 243 (Wilson).



www.wilson-hifi.eu